Supplier	:	EA RAÑOLA MACHINE SHOP INC.	1	PO No.	emperiors of the terror contract and the state of physician amplicate, and is severe by the leader	2503-0077	
Address		7A F. Balagtas St., JP Rizal Extn., West Rembo, Taguig City	1,	Date		: 03/07/25	
			3	Mode o	f	: Public Bidding	
e-mail Ad:			1	Procurement			
Tel. No.		882-4066 / 751-4160 / 0927-531-6212 / 0949-326-2625		PR No.		RA 9184	
		002-1000 / 101-1100 / 002/-0011-0212 / 0043-020-2020				: 2409-1560 09/24/24	
Gentleme	÷1	Please furnish this office the following articles subject to	the terms	and cor	nditions contained	herein:	
Place of I	Delivery:	Northern Samar Delivery		120 cale	endar days upon	receipt of approved	
Date of D	elivery:	Payment	Term: UI	on i	nspection	&scoptance	
Stock No	Unit	Description		Qty	Unit Cost	Amount	
	lot	Fabrication of Treatment Equipment		1			
		One (1) set Decorticating Machine - Capacity 400-600kgs			2,197,000.00	2,197,000.00	
at the same of the		Technical Specification:					
4		- Capacity: 600kgs	1				
Tanana da		- Stripping Drum Diameter: 450mm	į				
***		- Stripping Drum Length: 530mm	-				
		- Feed Rollers Diameter: 100mm	1				
		- Feed Rollers Length: 530mm	and the same of th				
		- Outlet Drum Diameter: 500mm					
		- Outlet Drum Length: 530mm					
and the same of th		- Feeding Tray Inside Width: 530mm					
		- Feeding Tray Outside Width: 630mm	İ				
		- Feeding Tray Length: 900mm					
-		- Conveyor Type Delivery Sheet Length: 1,900mm					
ĺ		- Conveyor Type Delivery Sheet Width: 530mm					
-		- High Carbon Steel Frame					
		- Power Supply: 3 Phase, 220V, 60Hz	1				
9			1				
-		- Includes: One (1) unit Drive Motor: 15HP, 220Volts, 60Hz			000 000 00	000 000 00	
		One (1) Set of Fiber Cutting Machine			980,000.00	980,000.00	
-		Technical Specifications:	, and a second				
		- 1 pc rotary cutter with four cutter blades (helical type)	a de la constante de la consta				
		- 1 pc stainless steel groove compact roller					
		- 1 pc stainless steel groove feed roller	A.C. Carrier				
1		- With Gear Box					
		- Feeder and delivery sheet must be conveyor type	and the same of th				
		- Stainless steel feed and delivery sheet					
		- Forward and reverse motion of feeder sheet					
-		- High carbon steel body frame	-				
		- Manual adjustment of cutter blades	1				
		- 2 units drive motor	1				
1		Dimensions:					
		- Main Motor: 5HP					
		- Conveyor: 1HP					
		- Compact roller diameter = 120mm					
		- Compact roller width = 280mm					
		- Feed roller diameter = 85mm					
		- Feed roller width = 380 mm	-				
		- Feeder sheet length = 1050mm					
						Landan and the second s	

Address : -mail Add: Tel. No. : Gentleme		7A F. Balagtas St., JP Rizal Extn., West Rembo	o, Taguig City	Date		00107105	
Tel. No. :						: 03/07/25	
Tel. No. :				Mode o	f	Public Bidding	
				Procure	ement	RA 9184	
Gentleme		882-4066 / 751-4160 / 0927-531-6212 / 0949-3	26-2625	PR No.		2409-1560	
Gentleme						09/24/24	
		Please furnish this office the following arti	icles subject to the terms	s and cor	nditions contained	herein:	
Place of De	elivery:	Northern Samar	Delivery Term:	120 cal	endar days upon r	eceipt of approve	
Date of De	livery:		Payment Term: Ug	on ir	spection &	sceeptance	
Stock No	Unit	Description		Qty	Unit Cost	Amount	
		- Feeder sheet inside width = 280mm					
		- Feeder sheet outside width = 400mm					
		- Delivery sheet length = 1050mm		1			
		- Delivery sheet inside width = 350mm					
		- Delivery sheet outside width = 460mm					
Į.		- Power Supply: 3 Phase, 220V; 60Hz					
		One (1) Set of Fiber Opening Machine			1,650,000.00	1,650,000.0	
į		Technical Specifications:		-	1,000,000.00	1,000,000.0	
1		- 1pc Main Cylinder		ar and a second			
1		- 1pc Doffer		The same of the sa			
		- 3pcs Worker Roller					
		- 3 pcs Stripper Roller		direction			
į.		- 1 unit Drive Motor (10HP)					
1		- High Carbon Steel Body Frame					
		- Forward and reverse motion of feeder sheet					
		Dimensions:					
		- Main Cylinder Diameter: 1000mm					
		- Main Cylinder Width: 1060mm					
		- Doffer Diameter, 500mm					
		- Doffer Width: 1000mm					
		- Worker Roller Diameter: 80mm					
		- Worker Roller Width: 1000 mm					
1		- Stripper Roller Diameter; 100 mm					
1		- Stripper Roller Width: 1000mm					
		- Power Supply: 3 Phase, 220V; 60Hz					
		One (1) Set of Fiber Dryer			1,120,000.00	1,120,000.0	
		Technical Specifications:					
		- 1 unit Steam Type Heat Exchanger (Hot Air (Jutput)				
		- 1 unit Vacuum Pump					
and the second		- High Carbon Steel Body Frame					
		- BI Pipe and fittings for steam					
		- 6pcs Hot Air Pole Supply					
1		- Stainless steel pipe hangers for fiber					
-		- 1 unit Drive Motor (5 HP)					
		Dimensions:					
		- Body Width: 1300mm			-		
		- Body Length: 1300mm			The state of the s		
		- Body Height: 1800 mm					
		- Power Supply: 3 Phase, 220 V; 60Hz					
and the state of t							

Supplier :	EA RAÑOLA MACHINE SHOP INC.	et de temperatur al destrupciones de l'agriculture de la contrapi altradé la vertira mant a destre disconsider	PO No.		2503-0077	
Address :	7A F. Balagtas St., JP Rizal Extn., West Rembo, Tag				: 03/07/25	
			Date Mode of		: Public Bidding	
e-mail Adı :			Procure		RA 9184	
Tel. No. :	882-4066 / 751-4160 / 0927-531-6212 / 0949-326-2	625	PR No.		: 2409-1560	
	32 1333 , 70 , 1133 , 332 , 331 32 12 , 031 32 2				09/24/24	
Gentleme	Please furnish this office the following articles	subject to the te	rms and cor	nditions contained	herein:	
Place of Delivery:	: Northern Samar Delivery Term: 120 calendar days upon in NTP			receipt of approved		
Date of Delivery:		Payment Term:	Upon i	nspection &	s acceptance	
Stock No Unit	Description		Qty	Unit Cost	Amount	
	One (1) Set of Mechanical Softening Machine			1,760,000.00	1,760,000.00	
	Technical Specifications:					
	- 12 Pairs Stainless Steel Groove Roller					
	- 12 Pairs Spring Load Adjuster					
	- 1 unit Drive Motor (5 HP)					
	- Forward / Reverse Motion of the Rollers with conti	inuous motion				
	drive by cam and gears					
	- With Gear Box					
	- Feed and Delivery Sheet must be Stainless Steel					
	- High Carbon Steel Body Frame					
	Dimensions:					
	- Roller Diameter: 100mm					
	- Roller Width: 590mm					
	- Feeder Sheet Length: 1400mm					
	- Delivery Sheet Length: 1000m					
	- Feeder and Delivery Sheet Width: 600mm					
	- Power Supply: 3 Phase, 220 V; 60Hz					
	One (1) Set of Chemical Softening Machine			1,020,000.00	1,020,000.0	
9	- 1 pair Heavy Duty Rubber and Stainless Steel Gro	pove Roller				
	- 1 pair Spring Load Adjuster					
	- 1 pair Spring Load Oil Filler					
	- Feed and Delivery Sheet must be Stainless Steel					
	- 1pc flat Funnel Stainless Sheet after the Feeder					
	- With Gear Box					
	- 1 unit Drive Motor (1.5HP)					
	- High Carbon Steel Body Frame					
-	Dimensions:					
	- Roller Diameter: 210mm					
	- Roller Width: 500mm					
	- Feeder Sheet Length: 1580mm					
	- Delivery Sheet Length: 900mm					
	- Feeder and Delivery Sheet Width: 500mm					
1	- Power Supply: 3 Phase, 220 V; 60Hz	1 (65)		E 000 000 00	5 000 000 0	
	One (1) Set Degumming Machine-Capacity 1000	Lioskg		5,980,000.00	5,980,000.0	
- Park	Technical Specifications:					
	- Working capacity = 65kg					
	- Design Pressure = 0.45MPa - Design Temperature = 150°C		9			
	- Design remperature - 150 C					
			1			

Supplier	:	EA RAÑOLA MACHINE SHOP INC.		PO No.		2503-0077	
Address	ddress : 7A F. Balagtas St., JP Rizal Extn., West Rembo, Taguig Ci		uig City	Date Mode of		: 03/07/25 : Public Bidding	
e-mail Adi ; Tel. No. : 88							
				Procure	ement	RA 9184	
		882-4066 / 751-4160 / 0927-531-6212 / 0949-326-2625		PR No.		: 2409-1560 09/24/24	
Gentleme	21	Please furnish this office the following articles s	ubject to the term	s and cor	nditions contained	herein:	
Place of I	Delivery:	Northern Samar [Delivery Term:	120 cal	endar days upon r	eceipt of approved	
Date of D	elivery:	F	Payment Term:	Upon	inspection	& acceptan	
Stock No	Unit	Description		Qty	Unit Cost	Amount	
		- Kier Diameter = 900mm					
1		- Main Pump Motor = 15 Kw					
		- Material load design = Basket type					
1		- Flow = IN-OUT/OUT-IN					
		- Liquor ration = 1:10					
		- Height = 1800mm					
		- Power Supply: 3 Phase, 220 V; 60Hz					
		inclusion:		No.			
		Hydro Extractor					
		Technical Specifications:					
		- Approximate Load Capacity = 60kg					
1		- Inside Diameter (basket) = 500mm					
		- Outside Diameter (cover) = 660mm					
		- Height = 700mm					
		- Highest rotation speed = 1220 rev/min					
		- System - Centrifugal					
		- Manual loading & unloading					
		- Power supply: Three Phase; 220-Volts; 60Hz					
1		Note:					
and a second		With forklift for loading and A frame & chain block for the second	for unloading of				
		equipment from container to facility					
and the second s		With special tools for installation and commissionin Installation, test, run and commissioning for two we	- , ,				
		run and acceptance and training with certificate inc	duded				
		4. with supply of required circuit breakers, cables and	transformers				
		and includes the installation from machine to Main	Panel Board				
		5. Warranty: 2 years on parts and services effective a	fter sucessful				
		installation and commissioning		-			
		6. Availability of spare parts for ten (10) years					
		7. Machines similar to the fiber treatment equipment	of previous				
		RYPICs					
				-			
				The state of the s			
					The same of the sa		
-				1			

PURCHASE ORDER PHILIPPINE TEXTILE RESEARCH INSTITUTE Agency / Procuring Entity

Supplier :	EA RAÑOLA MACHINE SHOP INC.		PO No	a	2503-0077
Address :	7A F. Balagtas St., JP Rizal Extn., West Rembo, Tagui	a City	Date		: 03/07/25
		5)	Mode o	nf.	Public Bidding
e-mail Ad:			Procur		
Tel. No. :	882-4066 / 751-4160 / 0927-531-6212 / 0949-326-262		PR No.		RA 9184
	002-40007101-410070327-031-021270348-320-202	3	IFK NO.		: 2509-1560
Gentleme					09/24/24
	Please furnish this office the following articles sut	oject to the term	s and co	nditions containe	d herein:
Place of Delivery.	Northern Samar Delivery Term		120 ca NTP	lendar days upon	on receipt of approved
Date of Delivery:	Pa	yment Term:	Ugon	inspetion	& acceptance
Stock No Unit	Description		Qty	Unit Cost	Amount
	8. Place of Delivery: Northern Samar		1		
	ENGR. ALEXANDER Project Leads	ARGAME, JR.			
The second secon					
(Total Amount in Words					Php14,707,000.00
be imposed	FOUNTD A REPUTATION OF THE STREET OF THE STR	penalty of one-te	Jl	Director IV 2 BDMAN	3 ¹ % / 2025
INTAL	atant III			14.76	