### Rev. 1/15-05-17

	PURCHASE ORDER			FAD-PPGSS Form No. 1 Rev. 1/15-05-1
	PHILIPPINE TEXTILE RESEARCH INSTIT	UTE	-03-07	98
Supplier : Address :	QINGDAO LEAFS MACHINERY CO., LTD.  Wangtai Industry Park, Huangdao District, Qingdao City, Shandong Province, People's Republic of China  LAND BANK OF THE PHILIPPINES  LANDBANK Plaza, 1598 M.H. Del Pilar cor. Dr. J. Quintos Sts.,	Mode Procur	of rement	: 2501-0010 : 01/17/25 : Direct Contracting
Gentlemei	Malate, Manila 1004	PR No		: 2410-1637 10/18/24
Diagon of D. II	Please furnish this office the following articles subject to the te			
Place of Delivery	Delivery ferm:	PO/NT		receipt of approved
Stock No Unit	Payment Term:	COD(th	nru Land Bank)	
1 lot	Description Spinning/Yarn Production Equipment	Qty	Unit Cost	Amount
	One (1) set Reeling machine (cone to muff winder) LSR19 Technical Specifications: - Type of Winding: DIGICONE or precision - Mechanical Speed: up to 1,500 m/min - Package shape: Freely programmable - Traverse Length: 25 to 270mm electronically adjustable - Take-up Package Diameter: greater than or equal to 520mm - Package Weight: greater than or equal to 2.5 kg - Winding Tension: 2-40 N - Supply Packaging Diameter: greater than or equal to 400 mm - Yarns: All types of yarn characteristics (staple or filaments) - Yarn Count Range: 7 Ne to 40 Ne - Layout: Single sided - No. of Spindles per Section: 4 - No. of Spindles per Section: 4 - No. of Section: 1 - Gauge: 550 mm - Drive: Individual - Installed Power: -250W per spindle - Power Consumption: 100 to 180 Watts per spindle (dep. on winding parameters) - Power Source: 3 Phase, 220 V; 60Hz One (1) set Re-Reeling Machine (Muff to Cone Winder) LSRR16 Technical Specifications: - Type of Winding: DIGICONE or precision - Mechanical Speed: greater than or equal to 1,200m/min - Package shape: Freely programmable - Traverse Length: 25 to 270 mm electronically - Take-up Package Diameter: greater than or equal to 280mm - Package Weight: greater than or equal to 8kg - Unwinding Tension: 2-40 cN - Supply Packaging - traverse: greater than or equal to 250 mm - weight: greater than or equal to 3.0 kg (incl. tube) - max, diameter: greater than or equal to 370 mm - inner tube diam: 44 to 72 mm - tube length: greater than or equal to 290 mm - Muff - width: greater than or equal to 30 mm - Muff - width: greater than or equal to 3.0 (incl. muff)	G	USD25,000.00	USD 13,700.00
	And the state of t			

### Rev. 1/15-05-17

# PURCHASE ORDER PHILIPPINE TEXTILE RESEARCH INSTITUTE Agency / Procuring Entity

Supplier Address		QINGDAO LEAFS MACHINERY CO., LTD.	PONO	5 3 £	2501-0010
nouress		Wangtai Industry Park, Huangdao District, Qingdao City, Shandong	Date'-	20 1 2 24 2 C 1 4 2 C 1	
		resultes, respires Republic of China	Mode		: 01/17/25
		LAND BANK OF THE PHILIPPINES	1		: Direct
		LANDBANK Plaza, 1598 M.H. Del Pilar cor. Dr. J. Quintos Sts.,	Procur		Contracting
west profession a	- mark (1 - 1 - 2 )	Malale, Manila 1004	PR No.	CASE CONTRACTOR STREET, CONTRACTOR	: 2410-1637
Gentlem	lei		1		10/18/24
	7 TOX	Please furnish this office the following articles subject to the term	s and co	nditions containe	ed herein:
Place of Date of D		Delivery Term:	120 cal PO/NTI	endar days upor	receipt of approv
tock No	Unit	Payment Term:	COD(th	ru Land Bank)	
		Description - diameter; inside	Qty	Unit Cost	Amount
		- diameter: inside: greater than or equal to 380mm / outside: greater			- Thousand
1		than of equal 380mm / putside: greater than or equal 400	h 158	" all Province and	
1		rants. All types of yarn characteristics (staple or filaments)	1000		
		1 - fam Count Range: 7 Ne - 40 Ne	5 7 50	with Life and	
		- Take-up Tubes: Cylindrical or cones up to 4° 20' may langth 200			The second
		min base diameter 46 mm			3,412
		- Layout; single sided			
1		- No. of Spindles per Section: 4			
1		- No. of Section: 1	A. 16 R	N. Mari	- Million Aller
		- Gauge: 450mm	n 100 100 1	Table 1. The Albeit	
		- Drive: Individual		The same of the fact	
1					
1		- Installed Power: ~450wk per spindle (dep_on winding)		100 12 1 - 11 1	
		- Power Source: 3 Phase, 220V, 60Hz	to the en		
		- Inclusion: 5,000 Paper cories (4° 20')		and the second	
		One (1) set Yarn Mercerizing Machine LSM33		LICDES SSS S.	and water for the same of the same
		Technical Specifications:	1	USD53,333.34	USD 53,333.
		- Control System: Touch Panel and Programmable Logic Control			
		- Load Yarn per Batch: 4 to 5 kg			
		- Length of Rollers: 650 mm			7 - 1 3 12
		- Maximum Yarn Tension: 0 - 30 N	0 10 10 1	1 11570 7	
1		- Maximum Cylinder Pressure: 150 kg/cm²	1 2 2 1	30 17 7 2 2 2 2	
		- Maximum Length of Stretch: 1,540 mm	1.00	a series and	
		- Capacity: 50kg/hr			a la per agranda
S. N. J. S.	11.	- Water Consumption - Cold: 500 L/hr		and the second	TO BETTE WAS TRACTICED & SECTION 1
×-		- Water Consumption - Hot: 1,000 L/hr			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	J- 11	- Power: 6 KW		32.2	
		- Main Material: SUS 304		I may what is the	The Williams
-		- Inner Shell: SUS 304		Table Carry	
		- Power Source: 3 Phase, 220 V, 60Hz			
		- Included: Electrical and pneumatic connectors, and machine	4 19.	15.79	W-11-
		loundation	100		
-	1	One (1) set Yarn Singeing Machine LSS558		ICD24 CCC	and Make
11	and it	rechnical Specifications:	· · · mis	JSD31,800.00	USD 31,800.00
100	1-	- Winding Form: Grooved drum, winding random			
	1	- Winding Shape: Tapered	11/2	a delama a grant and	
		- Winding Reverse: 152 mm		Carlo Carlo Land	
		- Package Dobbin: 4° 20'		Restrict of the	
		- Package Diameter: greater than or equal to 200 mm			
		7 A ground than of equal to 200 mm			
				112 (117)	
		The state of the s			

Agency / Procuring Entity

Supplier	• 1 15 Yes Callery	CIVIC DE CONTROL DE CO			1790
Address		QINGDAO LEAFS MACHINERY CO., LTD.	PO No.	03 =	2501-0010
1001635		Wangtai Industry Park, Huangdao District, Qingdao City, Shandong	Date	O #	: 01/17/25
		Province, People's Republic of China	Modero	f .	: Direct
		LAND BANK OF THE PHILIPPINES	Procure	ement	Contracting
		LANDBANK Plaza, 1598 M.H. Del Pilar cor. Dr. J. Quintos Sts.,	PR No.		: 2410-1637
Gentleme	Steller	Malate, Manila 1004		The second secon	10/18/24
Germerne	31	Please furnish this office the following articles subject to the term	ns and cor	nditions containe	
Place of I	Delivery:	Dad at Maria		The sale of the sale of	n receipt of approve
Data of D	- Ch	Port of Manila Delivery Term:	PO/NTF	ondar days upor	receipt of approve
Date of D		Payment Term:	COD(th	ru Land Bank)	
tock No	Unit	Description	Qty	Unit Cost	Amount
		- Package Weight: greater than or equal to 2kg			54 5 5 W
		- Mechanical Speed: greater than or equal to 1,000 m/min			
		- Yam Count Range: 7 Ne to 40 Ne			The state of the s
		- Gas Consumption: LPG		inger perd	is the transfer
		- No. of Spindles 12 Spindles (6 Spindles/section)			to the said
		- Spindle Gauge: 326 mm			and the second
		- Machine's Form: Double Side			
		- Drive Mode: Motor centralizing drive individual side			
1		- Total Power: 10 KW			character to T
		- Power Source: 3 Phase, 220 V, 60 Hz			and probabilities
		- Included: Vapours/fume extraction system, electrical and			1771
3.5		pneumatic connectors, and machine foundation	-		processor of the second
		- Inclusion: 5,000 Paper Cones (4° 20')			green
		One (1) set Integrated Blow Card with 40pcs sliver cans and		1,0067.300.55	LIOF -
1		computing device FA304		USD57,200.00	USD 57,200.0
		Technical Specifications:			
		- Input = Cotton and Blended @ 28 mm+; Sliver hank 0.12Ne to		. 19	
		0.15Ne			
		- Capacity = 50kg/h operation		100 m <sup>2</sup>	0772
a comment to the	m - s - cost	- Delivery speed = 25 m/min	400,00	-04-	02-
		- Beater = 27" diameter, 60ppsi	05	-04	The state of the s
A435	ALTERNATION OF THE PARTY.	- Cylinder = 50" diameter, 900ppsi	4	1.	and the second s
		- Aerodynamic chute-feed for carding zone		~ "	
		- Sliver can auto-stop feature, ergonomic stop-resume switch		8	
		- Suction for ectraction of short fibers and dust	-		
		- Machine auto-off (in the event opening of safety doors)			
		- 40 pcs HDPE Seamless sliver cans with caster wheel (inside		5.04	
	1	ø = 60 cm; Thickness = 2 mm; Height = 107 cm; caster wheel			
		height = 4 cm)			
		- Includes 1-unit wastes suction device to be installed/filter box	11-11-11	1 1 1 1 1 1 1 1 1	
		- Power supply: 3 Phase; 220 Volts; 60Hz	130	chocrease ou	
		- Includes Mobile computing device			
		LTE ready w/in-box keyboard			
		• 6GB/128GB storage		La C	
		Processor: Octa-core (dual 2.2 GHz and Hexa 1.8GHz)		A	
		• Display = 12.4" (WQXGA) TFT	141 2011		
		• RAM: 6GB			
-	-	OS: Android 12	4 Part - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	er disserie komstat dissertation	
		1.0			
	1		-		
		Maria Cara Cara Cara Cara Cara Cara Cara	1		
1					
		I I	1		

### Rev. 1/15-05-17

### PURCHASE ORDER PHILIPPINE TEXTILE RESEARCH INSTITUTE

Agency / Procuring Entity

Supplier : QINGDAO LEAFS MACHINERY CO., LTD. PO No. . 2501-0010 Address : Wangtai Industry Park, Huangdao District, Qingdao City, Shandong Date Province, People's Republic of China : 01/17/25 Mode of LAND BANK OF THE PHILIPPINES : Direct Procurement LANDBANK Plaza, 1598 M.H. Del Pilar cor. Dr. J. Quintos Sts., Contracting PR No. Malate, Manila 1004 : 2410-1637 Gentlemei 10/18/24 Please furnish this office the following articles subject to the terms and conditions contained herein: Place of Delivery: Port of Manila 120 calendar days upon receipt of approved Delivery Term: PO/NTP Date of Delivery: Payment Term: COD(thru Land Bank) Stock No Unit Description Unit Cost One (1) set Double Feed Draw Frame Machine with 100pcs Amount USD36,200.00 sliver cans FA81L USD 36,200.00 Technical Specifications: - Input = cotton and Blended @ 28 mm+; Sliver hank 0.12Ne to 0.15Ne Capacity = 75-kg/h operation - Delivery speed = 60-150 m/min (electronically configurable) - Sliver can auto-stop feature, ergonomic stop-resume switches - Suction for extraction of short fibers and dusts - Roll-away safety enclosures - Machine auto-off (in the event opening of safety doors) - Sealed lubricated bearings - 100pcs HDPE Seamles sliver cans with caster wheel (inside  $\phi$  = 40 cm; Thickness = 2 mm; Height = 112 cm; caster wheel height = 1 cm) - Power Supply: 3 Phase; 220 Volts; 60Hz One (1) set 24 Spindle Roving Machine with 2000pcs roving USD44,783.33 tubes and computing device FA474 USD 44,783.33 Technical Specifications: - No. of spindles = 24 spindles - Capacity = 20 kg/h operation 25-04-0322 - Output sliver hank = 0.15Ne - Spindle speed = 600 -750 rpm/min (electronically configurable) - Drafting system = four-over-four - Enclosed type flyer; aluminum pressure die-cast - Sliver can auto-stop feature, ergonomic stop-resume switches - Roll-away safety enclosures - Machine auto-off (in the event opening of safety doors) Sealed lubricated bearings - Input can size = 18" diameter x 42" height - Output bobbin = 2" diameter x 12" height; build-up diameter 6" - Roving bobbins specific for this machine (12") - Blue 650-pcs - Red 650 - pcs - Green 700-pcs - 150 pcs of front and back drafting rollers with pre-installed rubber - 50 pcs of middle drafting rollers with pre-installed rubber cots and apron tensioner - Distance clip specific for this roving machine

		PHILIPPINE TEXTILE F		TE		
		Agency / Pro	ocuring Entity		09	98
Supplier : Address :		QINGDAO LEAFS MACHINERY CO., LTD. Wangtai Industry Park, Huangdao District, Qingo Province, People's Republic of China LAND BANK OF THE PHILIPPINES LANDBANK Plaza, 1598 M.H. Del Pilar cor. Dr. J		PO No. Date Mode o Procure PR No.		: 2501-0010 : 01/17/25 : Direct Contracting : 2410-1637
Gentlem	iei	Malate, Manila 1004				10/18/24
		Please furnish this office the following articl	les subject to the term	s and con	nditions containe	d herein
	Delivery:	Port of Manila	Delivery Term:		endar days upor	receipt of approve
Date of D			Payment Term:	COD(thr	ru Land Bank)	
Stock No	Unit	Description		Qty	Unit Cost	Amount
		• Green 100 pcs • Blue 100 pcs • Sliver guide specific for this roving machine • Red (9 mm) 100 pcs • Green (11mm) 100 pcs • Black (16 mm) 100 pcs • Black (16 mm) 100 pcs • Draft change gears = availability of spares for d • Twist change gears = availability of spares for d • Power supply: 3 Phase; 220 Volts; 60Hz • Includes Mobile computing device • LTE ready w/in-box keyboard • 6GB/128GB storage • Processor: Octa-core (dual 2.2 GHz and Hexa 1 • Display = 12.4" (WQXGA) TFT • RAM: 6GB • OS: Android 12  Four (4) sets 96 Spindle Ring Frame Machine w Bobbins LS519  Technical Specifications: • No. of spindle = 96-spindles/machine • Drafting assembly = three-over-three • Spindle speed = greater than or equal to 16,000 • Layout: Double-side @ 48 spindles/side	I.8GHz) vith 5000 RF		Unit Cost	USD 57,900.00
		- With individual knee brakes				
		<ul> <li>Ring frame tube bobbin specific for this ring fram</li> <li>Blue 1,500pcs</li> <li>Red 1,500pcs</li> <li>Green 2,000pcs</li> <li>10,000pcs ring travelers (no. 2/0 UMDR)</li> <li>1,300pcs of front and back drafting rollers with present the superior of the superi</li></ul>				And the second s
		cots 50pcs of middle drafting rollers with pre-installed apron tensioner Spacers specific for this ring frame machine Brown (@2.5mm) 500pcs Gray (@2.75mm) 500pcs White (@3.0mm) 500pcs Yellow (@3.25mm) 500pcs				

Agency / Procuring Entity

25 = 03 = 029 8 PO No. . 2501-0010

					40 3	
Supplier :		QINGDAO LEAFS MACHINERY CO., LTD.		PO No.		: 2501-0010
Address :		Wangtai Industry Park, Huangdao District, Qing	gdao City, Shandong	Date		: 01/17/25
		Province, People's Republic of China		Mode of	f	: Direct
		LAND BANK OF THE PHILIPPINES		Procure		Contracting
		LANDBANK Plaza, 1598 M.H. Del Pilar cor. Dr.	J. Quintos Sts	PR No.		: 2410-1637
		Malate, Manila 1004	,			10/18/24
Gentleme	I	Please furnish this office the following arti	cles subject to the term	s and con	ditions contained	
Dlace of D	) a liv va va v					
Place of D	pelivery:	Port of Manila	Delivery Term:	120 calendar days upon receipt of ap PO/NTP		receipt of approved
Date of De	elivery:		Payment Term:	COD(th	ru Land Bank)	
Stock No	Unit	Description	2	Qty	Unit Cost	Amount
		• Black (3.5mm) 500pcs				
		- Apron specific for this machine = 3,000pcs				
		- Ring frame spindle specific for this machine =	= 100pcs			
		- Spindle Tape = 50pcs				
		- Draft change gears = availability of spares for				
		- Twist change gears = availability of spare for	different twist			
		Power supply: 3 Phase; 220 Volts; 60Hz				
		One (1) set 12 Drums Winding Machine with	7000pcs paper		USD47,500.00	USD 47,500.0
		cones and computing device LS008			13/4/5	,230.0
		Technical Specifications:			3 77 - 4 - 5	
		- Drive: every spindle per motor			gray at the gard	
		- Winding speed: greater than or equal to 1,200	rev/min			
		- Has function of Anti-hard-Edge and Electronic			ent from person	
1.		- Package Diarneter 220mm, Take-up length; 1	52mm	14.5	ter in a while	
		- Each spindle with length counter				
		- Advance control panel			ija etheralgatore	
		- Bobbin type holder: for 170mm ring frame bob	bin			
		- Layout: Double-side, 6 spindles/side				
		- Power Consumption: 0.09KW/Spindle				
		- Take-up package: Tube bobbin cone 4' 20				-0322
		- Yarn tension and waxing device; Every spindle	e has a yarn tension		0.1	-02
		and waxing device	,		5-04	4
	4.1	- Auto stop device: each spindle installs auto st	op device		64	
		- Traverse Device; Mechanical Traverse suit for	soft winding			
		- Yarn Clearer Device: Mechanical Knife clearer			1	
		- Electronic Yarn Clearer: Capacitance clearer (				
		drum)				
		- No. of drums = 12				
		- Quantity of paper cones = 7,000 pcs				
	3	Power supply: 3 Phase; 220 Volts; 60Hz				
		- Includes Mobile computing device			1000000	
		<ul> <li>LTE ready w/in-box keyboard</li> </ul>				
		6GB/128GB Storage				
	- 12	Processor:Octa-core (dual 2.2 GHz and Hexa	1.8GHz)			
	200	• Display = 12.4" (WQXGA) TFT			0.0	
2 0 000		· RAM: 6GB		9	1 2 2 1	
		OS: Android 12			1.1.4	
7 12.0					ALL STATE	
					and the same of	
	811/8				- 10	

Agency / Procuring Entity

Supplier :	QINGDAO LEAFS MACHINERY CO., LTD.		PO No.	0 029	2501-0010		
Address :	Wangtai Industry Park, Huangdao District, Qingdao (	City, Shandong	Date	(C) 400	: 01/17/25		
	Province, People's Republic of China	9.	Mode c		: Direct		
	LAND BANK OF THE PHILIPPINES	-6.	Procure		Contracting		
	LANDBANK Plaza, 1598 M.H. Del Pilar cor. Dr. J. Qu	intos Sts.,	PR No.		: 2410-1637		
	Malate, Manila 1004	,					
Gentlemei	Please furnish this office the following articles s	ubject to the terms	and cor	aditions sent-in-	10/18/24		
		——————————————————————————————————————					
Place of Delivery:	Port of Manila	elivery Term:	120 cal PO/NT	endar days upon >	receipt of approv		
Date of Delivery:	F	Payment Term: COD(thru Land E			ank)		
tock No Unit	Description		Qty	Unit Cost	Amount		
	One (1) set 12 Drums Sizing Machine with 10,000	pcs paper		USD62,883.33	USD 62,883		
	cones LS392				02,000		
	Technical Specification:						
	- Number of drums = 12 spindles						
	- Speed = 500 m/min (max)						
100	- Heated Pattern of Electricity						
	- Drying Process Temperature = 50°C to 80°C (Adjus	table)					
	- Individual top Motion for Yarn Breakage						
	- Individual Bath Temperature = 80°C Max (adjustable	e)					
	- Cone drum holder size/specifications = applicable for	or 4°20" paper		1000			
	cone	. Lo paper		100			
	- Paper cone size = 4° 20"			10.7			
	- Quantity of paper cones = 10,000pcs						
ì	- Warping Width = 310			the state of the state of			
	- PLC Control		N.				
	- Front Creel Type						
	- Single Yarn / 17-20 Ne			Transfer Taylord			
	Power supply: 3 Phase; 220 Volts; 60Hz						
	Two (2) sets 64 Spindle Twisting Machine with 500						
	bobbins and computing device LS721	0 pcs twister	- 4	USD37,700.00	USD 37,700.		
100	Technical Specifications:				-032?		
	- No. of spindles = 64 spindles/machine				036		
V.	- Spindle speed = greater than or equal to 16,000 rpm	1	***	- 04	- 00		
i jata vi	- Diameter of ring = 51 mm			25-4			
1.79	- Scope of twist = greater than or equal to 500TPM			lan "			
	- Layout: Double-side @ 32 spindles/side						
	- Sealed lubricated bearings						
	- With individual knee brakes	- 10,21					
	- Tube bobbins specific for this ring twisting machine						
	• Blue 1,500pcs			30.1-1.			
	• Red 1,500pcs						
	<ul> <li>Green 2,000pcs</li> </ul>						
	- 10,000pcs ring travelers (No. 5/0 and 7/0 UMDR)						
	- Spindle specific for this machine = 10pcs						
1 1 1	- Spindle Tape = 50pcs	1 1 1 1		1907 (2.59)			
	- Twist change gears			1 × 1 × 1 × 1			
	Power supply: 3 Phase; 220 Volts; 60Hz						
	- Includes Mobile computing device		200	gard.			
				(0) 5 One			
	*						
14 %							

Agency / Procuring Entity

-03-0298 Supplier : QINGDAO LEAFS MACHINERY CO., LTD. PO No. . 2501-0010 Address : Wangtai Industry Park, Huangdao District, Qingdao City, Shandong Date : 01/17/25 Province, People's Republic of China Mode of : Direct LAND BANK OF THE PHILIPPINES Procurement Contracting LANDBANK Plaza, 1598 M.H. Del Pilar cor. Dr. J. Quintos Sts., PR No. : 2410-1637 Malate, Manila 1004 10/18/24 Gentlemei Please furnish this office the following articles subject to the terms and conditions contained herein: Place of Delivery: Port of Manila 120 calendar days upon receipt of approved Delivery Term: PO/NTP Date of Delivery: Payment Term: COD(thru Land Bank) Stock No Unit Description Qty Unit Cost Amount LTE ready w/in-box keyboard • 6GB/128GB Storage • Processor: Octa-core (dual 2.2 GHz and Hexa 1.8GHz) • Display = 12.4" (WQXGA) TFT · RAM: 6GB · OS: Android 12 Note: 1. Provide special tools for installation and commissioning of equipment. 2. Installation, test run, and commissioning for two weeks prior to test run and acceptance and training with certificate included. 3. Supplier/manufacturer to supply the required circuit breakers, cables and transformers and includeds the installation from machines to Main Panel Board 4. Warranty: 2 years on parts and services effective after successful installation and commissioning. 5. Availability of spare parts for ten (10) years. 6. Operation Manual on English 7. Control panel must be in English 8. Place of Delivery: Port of Manila 9. Delivery Period: 120 calendar days USD 468,000.00 25-04-0322

# PURCHASE ORDER PHILIPPINE TEXTILE RESEARCH INSTITUTE Agency / Procuring Entity

Supplier Address Gentlema	1	QINGDAO LEAFS MACHINERY CO., LTD. Wangtai Industry Park, Huangdao District, Oingd Province, People's Republic of China LAND BANK OF THE PHILIPPINES LANDBANK Plaza, 1898 M.H. Del Pilar cei Dr. J Malate, Manita 1004	9	PO No. Date Mode of Procure PR No.	inen!	2501-0010 0 17/25 Direct Contracting 2410-1637 10/18/24
where the state of	-	Please furnish this office the following article	es subject to the terms	s and con	ditions contained t	nerein .
Place of D	N/N IN	Port of Manila	Delivery Term	120 cale PO/NTF	endar days upon re	ceipt of approved
Stock No	Unit	Description	Payment Term		ru Land Bank)	
		USD to PHP 58.70 LC Cover 5% Buffer Opening Commission Documentary Stamps Cable Cost Transmittal / Photocopy Fee		Qty	Unit Cost 27,471,600.00 1,373,580.00 206,037.00 82,414.80 1,000.00 500.00	Amount  27,471,600 ph  1,373,580 80  206,037,00  82,414,80  1,000 bb  500,60
		ALEXANDER M.	16		25-0	+-032
		Fund Source GAA - FRONTIER - RY	PIC			
onforme:	Signatur	Twenty-nine million one hundred thirty-five thousand to fished but be within the white shelpsheld blood in the shelpsheld bloo	e, a penalty of one-ter	nth (1/10)	IUS L. LEANO, JI Director IV	ay of delay shall